
REA JET

INDUSTRIAL CODING AND MARKING SOLUTIONS – MADE IN GERMANY

REA JET CO₂-Laser CL

Permanent Marking using Light



Innovative Marking and Coding Solutions for Industry



Industrial marking with CO₂-Laser systems from REA JET offers a distinct advantage: it is virtually consumableand maintenance-free, i.e. it involves low operating costs. Working with the REA JET CL Laser Marking System is simple and intuitive. It has a graphical operating panel, using a modern rotary knob with push-button function.

Unique in the world is just one overall operating concept, used for both the REA JET laser and the REA JET ink-jet systems, having but a single set of interfaces! Parallel user interfaces therefore enable your operating personnel to take charge of several methods of marking. And that will save you both money and time. The compact design and the easy to rotate marking head of the REA JET CL allow for simple mechanical integration.

Optional beam turning units enable use in places that may otherwise be difficult to access. Included in delivery is a pilot laser that ensures the system is swiftly set up for operation with new products. New Generation digital beam deflecting mirrors provide for the highest possible operating speed, but with ample capability in reserve.

Operation of, or training on, the REA JET CL, using a PC – as well as remote maintenance by PC – is made possible by means of its integrated VNC server. No matter where you are, by means of the integrated web server you are able to control your REA JET marking system from any web browser available; there is no need to install further software. The remote maintenance tool for remote diagnostics and support is included in delivery.

Advantages of CO₂-Laser: REA JET CL

- single overall operating concept, for both laser and ink-jet marking
- easy-to-learn and intuitive operation
- easy integration, due to compact design
- Pilot laser included in delivery
- digital beam deflecting mirrors, allowing highest possible operating speed
- integrated VNC server and web server, for remote diagnostics and maintenance





Writing on card




Glass marking



Marking of rubber profiles



Writing on cork



2D-Code marking of soot particle filters



Marking of plastics



Technical Data

Laser Unit	CL21	0	CL230	
Laser Type	Air-cooled CO ₂ -Laser with integrated Pilot Laser			
Laser Power	10 W	/	30 W	
Power Supply		95-250 V AC (A	autorange) 50/60 Hz	
Emergent Beam Angle		Continuo	usly adjustable	
Focusing Lens	FL 100	FL	200	FL 300
- Distance to Product	100 mm	200	mm	300 mm
- Marking Area (L x H) in mm²	80 x 80*	160 x	160*	250 x 250*
Mirror Control	Digital, giving highest marking speed			
Dimensions L x W x H	787 x 137 x 180 mm			
Weight	14 kg	3	18 kg	

^{*} unlimited marking length with moving product

Controller			
Layout Software	REA JET Label Creator		
Marking Content	Text, Date, Shift, Time, Counter, Logo, Barcode, 2D-Code etc.		
Direction of Marking	To be freely chosen		
Marking Format	True Type fonts, Laser-optimized fonts, Custom fonts		
Display	5,7 inch, high-resolution graphics display, 6 LEDs for direct display of status		
Operation	Intuitive operation via keypad and rotary knob with push-button function, Unicode-based text entry		
Languages	To be freely chosen		
Dimensions L x W x H	329 x 424 x 142 mm		
Weight	13 kg		
Communication	Ethernet, USB, RS232/422		
Digital I/Os	2x 6 Inputs, 2x 4 Outputs - freely configurable		
Accessories	Beam Deflection Units, Encoders, Extraction Units, I/O-Kits, Product Sensors, Safety Kits, Signal Lights		
Safety	Interlock (Dual-channel safety circuit)		



Writing on painted tins



Marking of composite materials



Laser Class 4



Writing on sanding discs



Marking of wooden profiles



Writing on cardboard boxes

REA JET



REA Elektronik GmbH

Teichwiesenstrasse 1 64367 Muehltal

Germany

T: +49 (0)6154 638-0

F: +49 (0)6154 638-195

E: info@rea-jet.de www.rea-jet.com